## DRUG METABOLISM AND DISPOSITION

A Publication of the American Society for Pharmacology and Experimental Therapeutics

January 2018 Vol. 46, No. 1

## **CONTENTS**

ARTICLES	Receptor. Yuichiro Kanno, Yuki Kure, Saori Kobayashi,
Bioengineered NRF2-siRNA Is Effective to Interfere with NRF2 Pathways and Improve Chemosensitivity	Mariko Mizuno, Yumi Tsuchiya, Naoya Yamashita, Kiyomitsu Nemoto, and Yoshio Inouye
of Human Cancer Cells. <i>Peng-Cheng Li, Mei-Juan Tu, Pui Yan Ho, Joseph L. Jilek, Zhijian Duan, Qian-Yu Zhang, Ai-Xi Yu, and Ai-Ming Yu</i> <b>2</b>	Jingcheng Xiao, Xinuo Li, Huimin Chen, Dian
Organic Anion–Transporting Polypeptide (OATP)– Mediated Drug-Drug Interaction Study between Rosuvastatin and Cyclosporine A in Chimeric	Kang, Yuhao Shao, Boyu Shen, Zhangpei Zhu, Xiaoxi Yin, Lin Xie, Guangji Wang, and Yan Liang <b>53</b>
Mice with Humanized Liver. Masashi Uchida, Yoriko Tajima, Masakazu Kakuni, Yutaka Kageyama, Taro Okada, Eri Sakurada, Chise Tateno, and Ryoji	Successful Prediction of In Vivo Hepatobiliary Clear- ances and Hepatic Concentrations of Rosuvastatin Using Sandwich-Cultured Rat Hepatocytes, Trans-
Hayashi	porter-Expressing Cell Lines, and Quantitative Proteomics. <i>Kazuya Ishida, Mohammed Ullah</i> ,
Effect of Flavin-Containing Monooxygenase Genotype, Mouse Strain, and Gender on Trimethylamine N-oxide Production, Plasma Cholesterol Con-	Beáta Tóth, Viktoria Juhasz, and Jashvant D. Unadkat
centration, and an Index of Atherosclerosis. <i>Sunil Veeravalli, Kersti Karu, Flora Scott, Diede Fennema, Ian R. Phillips, and Elizabeth A. Shephard</i> <b>20</b>	Highlighting Vitamin D Receptor–Targeted Activities of 1α,25-Dihydroxyvitamin D <sub>3</sub> in Mice via Physiologically Based Pharmacokinetic-Pharmacodynamic Modeling. <i>Qi Joy Yang, Paola Bukuroshi, Holly</i>
Evaluation of Clinical Drug Interaction Potential of Clofazimine Using Static and Dynamic Modeling Approaches. <i>Ramachandra Sangana</i> , <i>Helen Gu</i> ,	P. Quach, Edwin C. Y. Chow, and K. Sandy Pang <b>75</b>
Dung Yu Chun, and Heidi J. Einolf 26	SHORT COMMUNICATION
Organic Cation Transporter 1 Is Responsible for Hepato- cellular Uptake of the Tyrosine Kinase Inhibitor Pazopanib. Waleed Elsayed Ahmed Ellawatty, Yusuke Masuo, Ken-ichi Fujita, Erina Yamazaki, Hiroo	S Generation and Characterization of SULT4A1 Mutant Mouse Models. Patrick L. Garcia, Mohammed I. Hossain, Shaida A. Andrabi, and Charles N. Falany 41
Ishida, Hiroshi Arakawa, Noritaka Nakamichi, Ramadan Abdelwahed, Yasutsuna Sasaki, and Yukio	ERRATUM
Kato	Mediated by the Interplay of UDP-Glucuronosyl-
Tripartite Motif Containing 24 Acts as a Novel Coactivator of the Constitutive Active/Androstane	transferases and Catechol-O-Methyltransferases in Rats" 1

Downloaded from dmd.aspetjournals.org at ASPET Journals on July 6, 2022

Supplemental material is available online at http://dmd.aspetjournals.org.

About the cover: The liver compartment (A) for (B) describing the basal, temporal liver Hmgcr and Cyp7a1 mRNA expression (expressed as FCs, normalized by the 9 AM value), and liver cholesterol concentrations in mice fed with normal diet, without treatment and (C), Hmgcr and Cyp7a1 mRNA and cholesterol levels after repeated 1,25(OH)2D3 IP administration by Pang et al. (dx.doi.org/10.1124/dmd.117.077271).